



KONICA MINOLTA



**bizhub C25:** compact all-in-one, desktop convenience.

YOU'RE WORKING FASTER, WITH LESS TIME TO SPARE – SO YOU NEED IMMEDIATE ACCESS TO A COMPACT, CONVENIENTLY LOCATED MFP. FOR FAST, 25 PPM PRINTS IN BOTH COLOR AND B&W. QUICK WALK-UP COPIES OF MESSAGES, MEETING NOTES, INVOICES AND OTHER DOCUMENTS THAT WON'T WAIT. FLEXIBLE COLOR SCANNING TO MULTIPLE DESTINATIONS. AND DIRECT FAX TRANSMISSION AND RECEPTION. TO DO IT ALL, THE BIZHUB C25 IS YOUR SIMPLE SOLUTION – ONE THAT FITS ANYWHERE YOUR WORKFLOW DEMANDS, FOR MULTIPLE OUTPUT CAPABILITIES IN MINIMUM SPACE. YOU'LL HAVE KONICA MINOLTA'S EXCLUSIVE EMPERON® PRINT SYSTEM FOR BUILT-IN MULTI-PLATFORM PRODUCTIVITY, SIMITRI® HD TONER FOR SUPERIOR COLOR IMAGES AND LONG-LASTING PRINT QUALITY, A WIDE RANGE OF SPECIAL FEATURES – AND SEAMLESS CONNECTIVITY WITH YOUR TOTAL DOCUMENT SOLUTION.

COUNT  
**ON**  
KONICA MINOLTA

## **bizhub C25:** the document solution your desktop deserves.

KONICA MINOLTA'S BIZHUB C25 IS A HARD-WORKING, HIGH-PERFORMANCE DOCUMENT SOLUTION THAT PUTS MORE POWER IN LESS SPACE, WITH UNCOMPROMISING COLOR QUALITY FOR HIGH-IMPACT COMMUNICATIONS – PLUS COST-EFFECTIVE B&W FOR EVERYDAY DOCUMENT NEEDS. IT GIVES YOU MANY OF THE HIGH-TECH FEATURES YOU'LL FIND IN FULL-SIZE BIZHUB MFPS, ALL IN SLEEK DARK CABINET DESIGN WITH ULTRA-COMPACT BODY AND SMALL FOOTPRINT FOR YOUR DESKTOP. YOU CAN PRINT IN BOTH COLOR AND B&W AT UP TO 25 PPM. WARM-UP TAKES LITTLE MORE THAN HALF A MINUTE – AND YOU'LL GET RIGHT TO WORK WITH FAST FIRST-COPY OUTPUT: JUST 14 SECONDS IN COLOR, 12 SECONDS IN B&W. SIMPLE CONTROLS MAKE THINGS EASY FOR FIRST-TIME USERS, INCLUDING DEDICATED FUNCTION KEYS, A BACKLIT BLUE LED FOR BETTER VISIBILITY, EVEN SMOOTH-SLIDING, GROOVED-SURFACE PAPER TRAYS THAT ARE EASY TO GRIP FROM ABOVE OR BELOW.



### **Improve your image – and save on energy.**

Exclusive Konica Minolta technology delivers superior performance – and you'll see the difference in every print and copy you make. Simitri® HD Toner creates high-resolution images with rich, vivid color. Fine details are rendered with greater precision. Text is sharper, with black overprint and auto trapping functions to keep letters readable even against background colors.



Simitri HD Toner also uses biomass plant-based material to reduce environmental impact. Low-temperature oil-less fusing saves energy and creates documents that won't crack, peel or fade. An ozone-free charge roller minimizes air pollution. Power-saving modes meet strict Energy Star Tier 2 rating targets. And Konica Minolta environmental initiatives include the industry's first cost-free recycling program for all Konica Minolta consumables.

### **The power of built-in print/scan productivity.**

With the bizhub C25, you'll be able to move information faster, in more directions, with greater control. The Emperon® print system is built-in, and comes standard with PCL6 and PostScript3 PDLs with optional XPS support when you add a hard drive. Scan originals to multiple destinations, including Scan-to-Email, Scan-to-FTP and Scan-to-SMB at up to 20 originals per minute in B&W, 10 per minute in color.

Our Universal Printer Driver is easy and intuitive. You'll have special features like MyTab™ printing, the award-winning Konica Minolta interface that lets each individual customize a print tab that saves preferred settings for quick access. And PPML (Personalized Print Markup Language) enables variable-data printing that cuts down on RIP time to minimize network data traffic and speed output.

You can duplex documents at full rated speed, for 100% productivity. A standard 250-sheet paper tray, 100-sheet multiple bypass tray and optional 500-sheet paper tray give you maximum paper capacity of 850 sheets – with capability to handle thick paper up to 210 gsm. A convenient front-panel USB input lets you save to or print from a USB thumb drive. And with an optional 40 GB hard disk drive, you'll have on-board document storage for secure print jobs, job storage, USB direct print, and downloading fonts, profiles and overlays.





#### There's more: fax, networking, security and software.

Super G3 fax capability is also built-in – giving you high-speed, high-quality transmission with pro-quality functions like PC fax, memory transmission, quick-scan transmission, timer transmission, memory reception and more.

Another key advantage of the bizhub C25 is its ability to connect seamlessly to your network – while maintaining security to safeguard your information. You'll have IPv6 and DPWS support, Secure Print (Windows), IEEE 802.1X support for secure network connection, IP filtering, SSL/TLS protocol, even optional HDD encryption for print data.

Operational in your bizhub C25 is a powerful suite of PageScope® programs that work together to increase your productivity. PageScope Web Connection allows web-based simple setup and control of your bizhub C25. PageScope Net Care Device Manager enables IT administrators to manage multiple devices from a single point. PageScope Download Manager allows you to download fonts, color profiles, overlays and symbol sets directly to your bizhub C25. And PageScope Direct Print lets you print PDF, TIFF, JPEG documents quickly without opening their applications.

Like every bizhub MFP, the bizhub C25 is backed by superior service and support. And in long-term use, high-yield toner and developer achieve the industry's lowest total cost of ownership (TCO) – another reason to count on Konica Minolta.

- 25 PPM PRINT SPEED IN HIGH-QUALITY COLOR OR B&W
- SMALL FOOTPRINT FOR SPACE-SAVING DESKTOP PLACEMENT
- SIMITRI® HD TONER WITH BIOMASS TO PROTECT THE ENVIRONMENT
- FAST FIRST-COPY OUTPUT TIME – 12 SEC. B&W, 14 SEC. COLOR
- BUILT-IN EMPERON® PRINT SYSTEM, PCL6/PS3, OPTIONAL NATIVE XPS
- UNIVERSAL PRINTER DRIVER FOR SIMPLE PRINT MANAGEMENT
- MyTAB™ INTERFACE FOR QUICK ACCESS TO CUSTOM SETTINGS
- STANDARD ADF – DUPLEX PRINTING AT FULL RATED SPEED
- 850-SHEET MAXIMUM PAPER CAPACITY IN WEIGHTS TO 210 GSM
- FRONT-PANEL USB INPUT FOR THUMB-DRIVE PRINTING/SCANNING
- LONG-LASTING TONER CARTRIDGES AND DRUM TO REDUCE COSTS
- COLOR SCANNING TO EMAIL, FTP, SMB FOR FAST DISTRIBUTION
- STANDARD G3 FAX WITH ADVANCED FEATURES, PC FAXING
- PAGESCOPE® POWER FOR NETWORKING, SETUP, STATUS CONTROL



**ECO-VISION 2050** is Konica Minolta's commitment to protect the environment – saving energy, preserving resources, promoting recycling and reducing CO<sub>2</sub> emissions to help sustain the environment for generations to come. Please visit our website to learn more about our environmental initiatives and our exclusive **Clean Planet Program**.  
[www.cleanplanetus.com](http://www.cleanplanetus.com)

# bizhub C25 full color printer/copier/scanner/fax



COUNT ON KONICA MINOLTA

## SPECIFICATIONS

|                                      |                                                                         |
|--------------------------------------|-------------------------------------------------------------------------|
| Print / Copy Speed (Letter,portrait) | B&W / Color: Up to 25 ppm                                               |
| Monthly Duty Cycle (pages)           | 120,000                                                                 |
| Toner System / Print Method          | Simitri® HD - Polymerized Toner / Electrostatic laser, tandem, indirect |

## COPY

|                                    |                                                                                           |
|------------------------------------|-------------------------------------------------------------------------------------------|
| Display                            | 4-line, 128 x 64 bitmap, dark characters, white backlit LCD                               |
| Warm-up Time / First Copy Out Time | 38 seconds / 12 seconds for monochrome & 14 seconds for color                             |
| Copy Memory                        | 128 MB (Shared with Scan and Fax)                                                         |
| Automatic Document Feeder          | 35 page capacity / simplex scanning                                                       |
| Copy Resolution / Gradation        | 600 x 600 dpi / 256 gradations                                                            |
| Multiple Copies                    | 1-99                                                                                      |
| Copy Features                      | Duplex copy, 2-in-1, 4-in-1, Density Adjustment, Card Shot, Repeat, Electronic Collation* |

## PRINT

|                           |                                                                                                                                                                                                                                                   |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Processor / Speed         | MV78100 / 800 Mhz                                                                                                                                                                                                                                 |
| Print Memory              | 256 MB                                                                                                                                                                                                                                            |
| • Print Memory Upgrade    | 512 MB (768 MB Total) for faster print processing                                                                                                                                                                                                 |
| • HD-P03 Hard Disk*       | 40 GB SATA                                                                                                                                                                                                                                        |
| Print Resolution          | 600 x 600 dpi                                                                                                                                                                                                                                     |
| First Print Out Time      | 16 seconds for monochrome & color                                                                                                                                                                                                                 |
| Interface                 | 10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, USB Host                                                                                                                                                                                     |
| Page Description Language | PCL5ce/c Emulation, PCL6 XL ver.3.0 Emulation, PostScript 3 Emulation (3016), XPS v.2.1.4.0 (XML Paper Specification)*, PDF 1.7 Direct Printing*                                                                                                  |
| Operating Systems         | Windows XP (x32/x64), Windows Vista (x32/x64), Windows 7 (x32/x64), Windows Server 2003 (x32/x64), Windows Server 2008 (x32/x64), Windows DPWS Support, Macintosh OS X (10.2.8/10.3.9/10.4/10.5/10.6), Linux SUSE, Red Hat, Citrix, Netware 4/5/6 |
| Print Features            | Direct Print of PDF (version 1.7), JPEG, TIFF, XPS*, Overlay, Watermark, N-up, Poster, Booklet page order, Collating*, Secure Print*                                                                                                              |

## SCAN

|                          |                                                                                                                 |
|--------------------------|-----------------------------------------------------------------------------------------------------------------|
| Scan Speed (B&W / Color) | 20/10 opm (300 dpi via ADF)                                                                                     |
| Scan Resolution          | Maximum 600 x 600 (TWAIN/WIA only)                                                                              |
| Scan File Formats        | JPEG, TIFF, PDF                                                                                                 |
| Scan Features            | Network TWAIN Scan (via Ethernet TCP/IP), WIA Scan, Scan to Email, Scan to FTP, Scan to SMB, Scan to USB Memory |
| Scan Destinations        | Up to 220 (shared with fax)                                                                                     |
| Scan Drivers             | Network TWAIN (Windows & Max OS X), WIA 1.0/2.0 (Windows)                                                       |

## FAX

|                        |                                                                                            |
|------------------------|--------------------------------------------------------------------------------------------|
| Fax Line / Mode        | PSTN (Public Switch Telephone Network), PBX (Private Branch Exchange), Super G3 (Fax line) |
| Fax Compression        | MH, MR, MMR, JBIG                                                                          |
| Fax Resolution         | Maximum: 203 x 392 dpi (super fine)                                                        |
| Fax Transmission Speed | Approx. 3 seconds (A4, V.34, 33.6kbps, JBIG)                                               |
| Fax Features           | Time Shift, Fax forwarding to Email / Fax number, PC Fax (Windows)                         |

## PAPER HANDLING

|                                      |                                                                                                                                                              |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ADF Specifications                   | 35-sheets / Up to 8.5" x 14" / 14 lb. bond to 30 lb. bond (50-110 g/m²)                                                                                      |
| Tray 1                               | 250-sheets / 3.6" x 5.8" to 8.5" x 11.7" (92 x 148 mm to 216 x 297 mm) / 16 lb. bond to 55.75 lb. (60-210 g/m²)                                              |
| Bypass                               | 100-sheets / 3.6" x 5.8" to 8.5" x 14" (92 x 148 mm to Legal) / 16 lb. to 55.75 lb. (60-210 g/m²)                                                            |
| Paper Types                          | Tray 1: Plain Paper, Recycled Paper, Thick Paper 1, Thick Paper 2, Coated Paper 1, Coated Paper 2, Label, Postcard, Letterhead                               |
|                                      | Bypass: Plain Paper, Recycled Paper, Thick Paper 1, Thick Paper 2, Coated Paper 1, Coated Paper 2, Label, Postcard, Letterhead, Envelope (up to 10 capacity) |
| Output Capacity                      | 150-sheet Output Tray                                                                                                                                        |
| • PF-P09 500-Sheet Lower Feeder Unit | 500-sheets / 6.93" x 9.84" to 8.5" x 14" (176 x 250 mm to Legal) / 16 lb. to 55.75 lb. (60-210 g/m²) / Plain Paper (60-90 g/m²), Recycled Paper (60-90 g/m²) |
| • SCD-25 Copy Desk                   | Steel cabinet with storage to accommodate a free standing bizhub C25***                                                                                      |

## APPLICATION SOFTWARE

|                               |                                                                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Network and Device Management | PageScope Enterprise Suite Plug-in, PageScope Net Care Device Manager, PageScope EMS Plug-in (Tivoli Netview, CA Unicenter, HP Open View, MMC)                |
| User Tools                    | PageScope Web Connection, PageScope Direct Print, PageScope Download Manager, LinkMagic Scanning Software (Windows only), Local Setup Utility, Color Profiles |
| Management Tools              | bizhub vCare support                                                                                                                                          |

## SECURITY

|                   |                                                                                                                                                                                |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Security Features | IP filtering and port blocking, SSL2, SSL3 and TLS 1.0 network communication, IPsec support, Print User Authentication, Secure Print*, Hard disk data encryption (print only)* |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## ENVIRONMENTAL

|                        |                                                           |
|------------------------|-----------------------------------------------------------|
| Temperature / Humidity | 50-86 F / 15 to 85%                                       |
| Noise Levels           | Copying: < 53.5 dB / Printing: <52.5 dB / Standby: < 33dB |

## POWER & DIMENSIONS

|                                  |                                                                                                 |
|----------------------------------|-------------------------------------------------------------------------------------------------|
| Power Requirements / Consumption | 120V / 60Hz @ 8.2 A / Less than 1000W (max consumption), Less than 34W (low power / sleep mode) |
| TEC Value (kWh)                  | 5.9 or less                                                                                     |
| Dimensions (W x D x H) / Weight  | 15.9" (25.2" maximum width with bypass tray extended) x 22.0" x 19.8" / 70 lb.                  |

## CONSUMABLES

|                                          |                                                              |
|------------------------------------------|--------------------------------------------------------------|
| Starter Toner Cartridges (Pre-Installed) | Cyan, Magenta, Yellow and Black - Yield up to 2,000 pages**  |
| Replacement Toner Cartridges             | Cyan, Magenta, Yellow and Black - Yield up to 6,000 pages**  |
| Imaging Units                            | Cyan, Magenta, Yellow and Black - Yield up to 30,000 pages** |

## WARRANTY

|                  |                       |
|------------------|-----------------------|
| Printer Warranty | 1 year                |
|                  | ● OPTIONAL ● STANDARD |

\* Optional hard disk drive enables secure print, proof-then-print, print & hold, job storing, XPS emulation, print user authentication, direct printing (PDF, TIFF, JPEG, XPS), downloading fonts/profiles/overlays, collating, PDF direct print.

\*\* Declared yield in accordance with ISO/IEC 19798.

\*\*\* Not available at time of launch



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive  
Ramsey, NJ 07446

[www.CountOnKonicaMinolta.com](http://www.CountOnKonicaMinolta.com)  
[www.kmbs.konicaminolta.us](http://www.kmbs.konicaminolta.us)

Konica Minolta Optimized Print Services offers a full suite of device output services and workflow solutions that increase efficiency and control costs. Please contact your authorized Konica Minolta sales representative for details.

© 2011 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta is a registered trademark of KONICA MINOLTA HOLDINGS, INC. bizhub and PageScope are trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. All other brands and product names are registered trademarks or trademarks of their respective owners.



Item #: C25BR0  
4/11